

Certificate of Compliance

Certificate Number:

R15431

Report Reference:

R15431-2006-11-30

Issue Date:

2025-01-24

Issued to:

HILTI CONSTRUCTION CHEMICALS, DIV OF HILTI INC
7250 Dallas Pky, Legacy Tower Suite 1000
Plano, TX 75024 United States

This certificate confirms that representative samples of:
Firestop Devices
See addendum for model information.

Has been evaluated by UL LLC and/or ULC Inc. in accordance with Standard(s) for Safety:
UL 1479, Fire Tests of Penetration Firestops, Edition 4
CAN/ULC-S115:2023, STANDARD METHOD OF FIRE TESTS OF FIRESTOP SYSTEMS, Edition 5

Additional Information:
See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark and/or ULC Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark and/or ULC Mark.

Only those products bearing the UL Mark and/or ULC Mark should be considered as being UL Certified and/or ULC Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark and/or ULC Certification Mark on the product.



David Piecuch
UL Mark Certification Program Owner
UL LLC



Gunsimar Paintal
ULC Mark Certification Program Manager
Underwriters Laboratories of Canada Inc.



Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized licensee of ULC. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number: R15431
Report Reference: R15431-2006-11-30
Issue Date: 2025-01-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

CFS-CID MD M 2"/2.5", 3"/2.5" and 4"/2.5"; CFS-CID MD P 2"/2.5", 3"/2.5" and 4"/2.5"; CFS-CID MD M 2"/4", 3"/4" and 4"/4"; and/or CFS-CID MD P 2"/4", 3"/4" and 4"/4" Firestop Devices for use in Through-Penetration Firestop System Nos.

F-A-0040, F-A-0041, F-A-1192, F-A-1193, F-A-1194, F-A-1220, F-A-2310, F-A-2311, F-A-2312, F-A-2313, F-A-2314, F-A-2315, F-A-2316, F-A-3060, F-A-3071, F-A-3072, F-A-5069, F-A-5070, F-A-5071, F-A-8055.

CFS-CID MD PX 2"/2.5", 3"/2.5" and/or 4"/2.5" and/or CFS-CID MD PX 2"/4", 3"/4" and/or 4"/4" Firestop Devices for use in Through-Penetration Firestop System Nos.

F-A-0040, F-A-0041, F-A-1192, F-A-1193, F-A-1194, F-A-1220, F-A-2310, F-A-2311, F-A-2312, F-A-2313, F-A-2314, F-A-2315, F-A-2316, F-A-2347, F-A-2420, F-A-3060, F-A-3071, F-A-3072, F-A-5069, F-A-5070, F-A-5071, F-A-8055.

CFS-CID MD PLT W2" and W3" Firestop Devices for use in Through-Penetration Firestop System Nos.

F-A-0040, F-A-0041, F-A-1192, F-A-1193, F-A-1194, F-A-2310, F-A-2311, F-A-2312, F-A-2313, F-A-2314, F-A-2315, F-A-2316, F-A-2347, F-A-2420, F-A-3060, F-A-3071, F-A-3072, F-A-5069, F-A-5070, F-A-5071, F-A-8055.

CFS-DID 2"MD, CFS-DID 3"MD, CFS-DID 4"MD and/or CFS-DID 6"MD Drop-In Firestop Devices for use in Through-Penetration Firestop System Nos.

F-A-1128, F-A-2213, F-A-2230, F-A-2271, F-A-2284, F-A-5046, F-A-5055, F-A-5061, F-A-8047, F-G-2001, F-G-5001.

CFS-DID 2"C, CFS-DID 3"C, CFS-DID 4"C and/or CFS-DID 6"C Drop-In Firestop Devices for use in Through-Penetration Firestop System Nos.

F-A-1170, F-A-2284, F-A-2285, F-A-8047, F-B-1029, F-B-2050, F-B-2056, F-B-2064, F-B-5005, F-B-5010, F-B-8010, F-G-2001, F-G-5001.

CFS-DID 2"HC8, CFS-DID 3"HC8, CFS-DID 4"HC8, CFS-DID 2"HC10, CFS-DID 3"HC10, CFS-DID 4"HC10, CFS-DID 2"HC12, CFS-DID 3"HC12 and/or CFS-DID 4"HC12 Drop-In Firestop Devices for use in Through-Penetration Firestop System Nos.

F-A-1170, F-A-2285, F-B-1029, F-B-2050, F-B-2056, F-B-2064, F-B-5005, F-B-5010, F-B-8010.

CFS-CID U Series Firestop Devices for use in Through-Penetration Firestop System Nos

Certificate of Compliance

Certificate Number: R15431
Report Reference: R15431-2006-11-30
Issue Date: 2025-01-24

F-A-0048, F-A-0049, F-A-1222, F-A-1223, F-A-1224, F-A-1225, F-A-1226, F-A-1227, F-A-2405, F-A-2406, F-A-2407, F-A-2408, F-A-2409, F-A-2410, F-A-2411, F-A-2412, F-A-2413, F-A-2414, F-A-2416, F-A-2417, F-A-2418, F-A-3091, F-A-3092, F-A-3093, F-A-5083, F-A-5084, F-A-5085, F-A-7026, F-A-8068, F-A-8069, F-B-1041, F-B-1042, F-B-2079, F-B-2080, F-B-2081, F-B-2082, F-B-2083

CFS-CC 4" Firestop Cable Collar for use in Through-Penetration Firestop System Nos. C-AJ-3320, C-AJ-8313, C-AJ-8316, C-AJ-8318, W-J-8078, W-L-3396, W-L-8105, W-L-8125.

CFS-T Cable Transit System for use in Through-Penetration Firestop System Nos. C-AJ-3318, C-BJ-3031, C-BJ-8037, C-BJ-3038, W-J-3196, W-L-3391.

CFS-T RR Plug Seal for use in Through-Penetration Firestop System Nos. C-AJ-3319, C-BJ-3032, C-BJ-3039, C-BJ-3040, W-J-3197, W-L-3392.

CFS-SL GP Firestop Gang Plate for use in Through-Penetration Firestop System Nos. C-AJ-3345, W-J-3200, W-L-3395.

CFS-SL GP CAP Firestop Gang Plate CAP for use in Through-Penetration Firestop System Nos. W-J-3200 and W-L-3395.

CFS-SL GP 5-sleeve for use in Through-Penetration Firestop System No. W-L-3395.

CFS-SL SK Firestop Sleeve for use in Through-Penetration Firestop System Nos. W-J-3199, W-J-3200, W-J-8068, W-L-3394, W-L-3395, W-L-8110.

CFS-SL RK Firestop Sleeve for use in Through-Penetration Firestop System Nos. W-J-3198, W-J-3200, W-L-3393 and W-L-3395.

CFS-T RR Vario 60 and CFS-T RR Vario 300 Firestop Devices for use in Through-Penetration Firestop System Nos. C-BJ-3046, C-BJ-3047.

CFS-T RR Vario (H) 60 and CFS-T RR Vario (H) 300 Firestop Devices for use in Through-Penetration Firestop System Nos. C-BJ-3044, C-BJ-3045.

CFS-T RR3 150 and CFST-RR3 200 Firestop Devices for use in Through-Penetration Firestop System Nos. C-BJ-3048, C-BJ-3049, C-BJ-3050.

Certificate of Compliance

Certificate Number: R15431
Report Reference: R15431-2006-11-30
Issue Date: 2025-01-24

CFS-MSL L 6" x 4", CFS-MSL M 3" x 4", CFS-MSL S 3" x 2" Modular Sleeves for use in Through-Penetration Firestop System Nos. F-A-3085, F-A-3087, F-A-3088, F-A-3089, W-J-3277, W-J-3278, W-J-3279, W-J-3282, W-J-8103, W-L-3481, W-L-3482, W-L-3483, W-L-3484, W-L-3486, W-L-8143.

CFS-MSL GPR 9" x 4", CFS-MSL GPR 12" x 4" Retrofit Gangplate for use in Through-Penetration Firestop System Nos. W-J-3277, W-J-3282, W-L-3481, W-L-3486.

CFS-MSL P S 3" x 2", CFS-MSL P M 3" x 4", CFS-MSL P L 6" x 4" Modular Sleeve Plates for use in Through-Penetration Firestop System Nos. F-A-3088, W-J-3278, W-J-3282, W-L-3482, W-L-3486.

CFS-MSL GPP 16" x 4", CFS-MSL GPP 24" x 4" Pre-drywall Gangplate for use in Through-Penetration Firestop System No. W-L-3483.

CFS-MSL GPA 24 x 4", CFS-MSL GPA 24 x 8" Adjustable Gangplate for use in Through-Penetration Firestop System Nos. W-J-3279, W-L-3484.

CFS-MSL FGR 18x4", CFS-MSL FGR 18x9", CFS-MSL FGR 24x4", CFS-MSL FGR 24x9", CFS-MSL FGR 24x14", CFS-MSL FGR 24x19" FGR Floor Grid for use in Through-Penetration Firestop System No. F-A-3085, F-A-3087, F-A-3088,

CFS-MSL FGR 18x9", CFS-MSL FGR 24x9" FGR Floor Grid for use in Through-Penetration Firestop System No. F-A-3089

CP 644 200/8" US and CP 644 250/10" US Firestop Collar for use in Through-Penetration Firestop System Nos. C-AJ-2109 W-J-2337, and W-L-2078.

CP 643 50/1.5 in. N, CP 643 63/2 in. N, CP 643 90/3 in. N, CP 643 4 in. N and/or CP 643 152/6"N Firestop Collars for use in Through-Penetration Firestop System No. C-AJ-2109, C-AJ-2110, C-AJ-2217, C-AJ-2271, C-AJ-2469, C-AJ-2600, C-AJ-2630, C-AJ-2631, C-AJ-2885, C-AJ-3096, C-AJ-3279, C-AJ-8177, C-AJ-8178, C-AJ-8313, C-AJ-8318, C-AJ-8355, C-BJ-2021, C-BJ-2050, F-A-2025, F-A-2209, F-A-2074, F-A-2075, F-B-2045, F-C-2030, F-C-2128, F-C-2382, F-C-2404, F-C-2515, F-C-8009, F-E-2027, F-E-2033, F-E-2048, W-J-2091, W-J-2238, W-J-2331, W-J-2337, W-J-8051, W-L-2078, W-L-2084, W-L-2217, W-L-2245, W-L-2292, W-L-2044, W-L-2045, W-L-2411, W-L-2473, W-L-2509, W-L-2559, W-L-2676, W-L-2694, W-L-8095, W-L-8152.

Certificate of Compliance

Certificate Number: R15431
Report Reference: R15431-2006-11-30
Issue Date: 2025-01-24

CP 643 N Firestop Collar anchor clip for use in Through-Penetration Firestop System No. C-AJ-2835.

CP 653 2" and/or 4" Speed Sleeves for use in Through-Penetration Firestop System Nos. C-AJ-3281, C-AJ-3282, C-AJ-3283, C-AJ-3284, C-AJ-3285, C-AJ-3298, C-BJ-3042, C-BJ-3043, F-A-3060, F-A-3088, F-G-3001, W-J-1215, W-J-2229, W-J-2230, W-J-3167, W-J-3168, W-J-3189, W-J-8078, W-K-3002, W-L-1441, W-L-2537, W-L-2538, W-L-3334, W-L-3335, W-L-3384, W-L-8085, W-L-8086, W-L-8105, W-L-8125.

CP 653 BA 2" and/or 4" and/or CP 653 4" BA ILS and/or CFS-SL GA L ILS Speed Sleeves for use in Through-Penetration Firestop System Nos. C-AJ-3281, C-AJ-3282, C-AJ-3283, C-AJ-3284, C-AJ-3285, C-AJ-3298, C-AJ-3345, C-BJ-3042, C-BJ-3043, F-A-3060, F-G-3001, W-J-1215, W-J-2229, W-J-2230, W-J-3167, W-J-3168, W-J-3189, W-J-8078, W-K-3002, W-L-1441, W-L-2537, W-L-2538, W-L-3334, W-L-3335, W-L-3384, W-L-8085, W-L-8086, W-L-8105, W-L-8125.

CFS-SL GA L 2" and/or 4" Speed Sleeves for use in Through-Penetration Firestop System Nos. F-G-3001, W-J-1215, W-J-2229, W-J-2230, W-J-3167, W-J-3168, W-J-3189, W-J-8078, W-K-3002, W-L-1441, W-L-2537, W-L-2538, W-L-3334, W-L-3335, W-L-3384, W-L-8085, W-L-8086, W-L-8105, W-L-8125.

CP 653 BA 4" Speed Sleeve, CP 653 4" BA ILS and CFS-SL GA L ILS Speed Sleeve for use in Through-Penetration Firestop System No. C-AJ-8313.

CP 675T Firestop Board for use in Through-Penetration Firestop System No. C-AJ-0105, C-AJ-4077, C-BJ-2043, F-A-2209, F-B-4006, W-J-0007, W-J-0008, W-J-1175, W-J-4048, W-J-4049, W-J-4050, W-J-8034, W-L-0014, W-L-0015, W-L-1367, W-L-4048, W-L-4049, W-L-4050, W-L-8059.

CP 675T Distance Holders for use in Through-Penetration Firestop System Nos. C-AJ-4077, F-B-4006, W-J-0008, W-J-4049, W-J-4050, W-L-0015, W-L-4049, W-L-4050.

CP 675T Z-Frame for use in Through-Penetration Firestop System Nos. C-AJ-2835, C-AJ-4077, F-B-4006, W-J-0008, W-J-4049, W-J-4050, W-L-0015, W-L-2741, W-L-4049, W-L-4050, W-L-5379, W-L-8058.

CP 675T Z-Frame Latches for use in Through-Penetration Firestop System Nos. C-AJ-4077, W-J-0008, W-J-4049, W-J-4050, W-L-0015, W-L-4049, W-L-4050.

Certificate of Compliance

Certificate Number: R15431
Report Reference: R15431-2006-11-30
Issue Date: 2025-01-24

CP 675T T-Bars for use in Through-Penetration Firestop System Nos.
C-AJ-4077, F-B-4006, W-J-0008, W-J-4049, W-J-4050, W-L-0015, W-L-4049, W-L-4050.

CP675T T-Bar Latches for use in Through-Penetration Firestop System Nos.
C-AJ-4077, W-J-0008, W-J-4049, W-J-4050, W-L-0015, W-L-4049, W-L-4050.

CP680N 75/2.5 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos. F-A-1091, F-A-2166, F-B-1010, F-B-2007, F-B-2013.

CP680N 110/4 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos.
F-A-1091, F-A-2071, F-A-2072, F-A-2013, F-A-2166, F-B-1009, F-B-1010, F-B-2013.

CP680N 75/2.5 in., CP680N 110/4 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos. F-A-0014, F-A-2145, F-A-3033, F-A-3034.

CP680N 75/2.5 in., CP680N 110/4 in. and CP680N 160/6 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos.
F-A-0005, F-A-0006, F-A-1066, F-A-2092, F-A-2013, F-A-1016, F-A-1017, F-A-1022, F-A-1023, F-A-2053, F-A-2054, F-A-2065, F-A-2066, F-A-2093, F-A-2103, F-A-3007, F-A-5015, F-A-5017 and F-A-5018.

CP680N 160/6" Cast-in Firestop Device for use in Through-Penetration Firestop System Nos. F-A-1022, F-A-1023, F-A-1091, F-A-2166, F-B-1010, F-B-2013.

CP680N 110/4 in. and CP680N 160/6 in. Cast-In Firestop Device for use in Through-Penetration Firestop System No. F-A-8016.

CP680N 110/4 in. and CP680N 160/6 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos. F-A-7018, F-A-8016, F-A-8023.

CP 680-M 2, 3, 4 and 6 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos. F-A-1016, F-A-1022, F-A-1023, F-A-1066, F-A-5015, F-A-5016, F-A-5017, F-A-5018, F-B-1010.

CP 680-M 2, 3 and 4 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos. F-A-0014, F-A-1017, F-A-3033, F-B-1010.

Certificate of Compliance

Certificate Number: R15431
Report Reference: R15431-2006-11-30
Issue Date: 2025-01-24

CP680-M 2 in. Cast-In Firestop Device for use in Through-Penetration Firestop System No. F-A-3034.

CP 680-M 3 and 4 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos. F-A-8016, F-B-1009, F-B-1033.

CP680-M 4 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos. F-A-3060, F-B-2013.

CP 680-P 2, 3, 4 and/or 6 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos.

F-A-0005, F-A-0006, F-A-1016, F-A-1017, F-A-1022, F-A-1023, F-A-1066, F-A-1091, F-A-1106, F-A-1220, F-A-2053, F-A-2054, F-A-2065, F-A-2066, F-A-2071, F-A-2072, F-A-2092, F-A-2093, F-A-2103, F-A-2141, F-A-2142, F-A-2145, F-A-2166, F-A-2177, F-A-2205, F-A-2270, F-A-3007, F-A-3033, F-A-3034, F-A-5015, F-A-5017, F-A-5018, F-A-5062, F-A-7018, F-A-8016, F-B-1009, F-B-1010, F-B-1033, F-B-2007, F-B-2013, F-B-2033, F-B-2040, F-B-2041.

CP 680-PX (with suffix to denote size) Cast-In Firestop Device for use in Through-Penetration Firestop System Nos.

F-A-0005, F-A-0006, F-A-0014, F-A-1016, F-A-1017, F-A-1022, F-A-1023, F-A-1066, F-A-1091, F-A-1106, F-A-1220, F-A-2053, F-A-2054, F-A-2065, F-A-2066, F-A-2072, F-A-2092, F-A-2093, F-A-2103, F-A-2141, F-A-2142, F-A-2145, F-A-2166, F-A-2177, F-A-2205, F-A-2270, F-A-3007, F-A-3033, F-A-3034, F-A-3060, F-A-5015, F-A-5016, F-A-5017, F-A-5018, F-A-7018, F-A-8016, F-A-8023, F-B-1009, F-B-1010, F-B-1033, F-B-2007, F-B-2023, F-B-2034, F-B-2040, F-B-2041.

CP 681 Tub Box kit for use in Through-Penetration Firestop System Nos. F-A-1037, F-A-1038, F-A-2094, F-A-2095, F-A-2177, F-B-1032.

CP 681 Tub Box Flange for use in Through-Penetration Firestop Systems No. F-A-2156.

CP 681-2" Firestop Device for use in Through-Penetration Firestop System Nos. F-A-1037, F-A-1038, F-A-2094, F-A-2095.

CP 681-3" Firestop Device for use in Through-Penetration Firestop System No. F-A-2177, F-B-1032.

CP 681 Firestop Drain Flange for use in Through-Penetration Firestop System No. F-A-2156.

Certificate of Compliance

Certificate Number: R15431
Report Reference: R15431-2006-11-30
Issue Date: 2025-01-24

CP 681 SD-FD Firestop Device for use in Through-Penetration Firestop System No. F-A-2156.

CP682 75/2.5 in. Cast-In Firestop Device for use in Through-Penetration Firestop System No. F-B-1010.

CP682 110/4 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos. F-B-1009, F-B-1010.

CP682 75/2.5 in., CP682 110/4 in. Cast-In Firestop Device for use in Through-Penetration Firestop System Nos.
F-A-0014, F-A-1066, F-A-3007, F-A-3033, F-A-3034, F-A-5015, F-A-5017.

CPS and IPS Top Seal Plugs for use in Through Penetration Firestop System Nos.
F-A-1016, F-A-1017, F-A-1091, F-A-1192, F-A-2053, F-A-2054, F-A-2065, F-A-2066,
F-A-2092, F-A-2141, F-A-2145, F-A-2166, F-A-2310, F-A-2311, F-A-2313.

Water Barrier Module for use in Through Penetration Firestop System Nos.
F-A-1016, F-A-1017, F-A-1091, F-A-1192, F-A-2053, F-A-2054, F-A-2065, F-A-2066,
F-A-2092, F-A-2141, F-A-2145, F-A-2166, F-A-2310, F-A-2311, F-A-2313, F-G-2001.

3" and 4" Closet Stub device for use in Through Penetration Firestop System Nos.
F-A-1108, F-B-2032, F-B-2045.

CFS-CID P 8" and/or 10" Firestop Cast-In Devices for use in Through-Penetration Firestop System Nos. F-B-0005, F-B-1034, F-B-2061 and F-B-5009.

CFS-CID M 8" and/or 10" Firestop Cast-In Devices for use in Through-Penetration Firestop System No. F-A-1202, F-A-5076, F-B-0005, F-B-1034.

CFS-CID U Devices Firestop Device for use in Through-Penetration Firestop System No. F-A-0049.