

according to the United Nations GHS (Rev. 9, 2021) Issue date: 03/04/2023 Revision date: 03/04/2023 Version: 24.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form Name UN-No. (ADR) Product code

Mixture GC 22 3150 **BU Direct Fastening**

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use

For professional use only Propellant for direct fastening tools.

1.4. Supplier's details

Supplier

Hilti India Private Limited F-90/4, Okhla Industrial Area Phase 1 IN-110 020 New Delhi India T +9111 4270 1111 - F +91 405 23318

1.5. Emergency phone number

Emergency number

Schweizerisches Toxikologisches Informationszentrum - 24h Service +41 44 251 51 51 (international) +9111 4064 6500 +9111 4270 1122

Department issuing data specification sheet

T +49 8191 906310 - F +49 8191 90176310

Hilti Entwicklungsgesellschaft mbH

Hiltistrasse 6 DE- 86916 Kaufering

Deutschland

df-hse@hilti.com

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture				
Classification according to the United Natio	ns GHS			
Flammable gases, Category 1A	H220			
Gases under pressure : Compressed gas	H280			
Full text of H-statements: see section 16				
2.2. GHS Label elements, including pre	cautionary statements			
Labelling according to the United Nations G	HS			
Hazard pictograms (GHS UN)				
Signal word (GHS UN)	Danger			
Hazard statements (GHS UN)	H220 - Extremely flammable gas			
	H280 - Contains gas under pressure; may explode if heated			
Precautionary statements (GHS UN)	P102 - Keep out of reach of children.			

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.



according to the United Nations GHS (Rev. 9, 2021)

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P381 - In case of leakage, eliminate all ignition sources.

P403 - Store in a well-ventilated place.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
isobutane	CAS-No.: 75-28-5	55 - <65	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
propene	CAS-No.: 115-07-1	20 - <30	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Propane	CAS-No.: 74-98-6	5 - <15	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Full text of H-statements: see section 16

SECTION 4: First-aid measures 4.1. Description of necessary first-aid measures First-aid measures general Take off immediately all contaminated clothing. First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact Gently wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if First-aid measures after eye contact present and easy to do. Continue rinsing. Get medical advice/attention. First-aid measures after ingestion Immediately consult a doctor/medical service. 4.2. Most important symptoms/effects, acute and delayed Potential adverse human health effects and No additional information available. No harmful effects are to be expected if used properly. The contained ingredients can be harmful, but they are hermetically enclosed in the article symptoms and can not be released. The dismantling of the article is prohibited.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting meas	sures
5.1. Suitable extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Carbon dioxide. Water spray. Dry powder. Alcohol resistant foam. Do not use a heavy water stream.
5.2. Specific hazards arising from the	e chemical
Explosion hazard	Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.



according to the United Nations GHS (Rev. 9, 2021)

Hazardous decomposition products in case of fire	On burning: release of (highly) toxic gases/vapours. Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
5.3. Special protective actions for fire-fighte	ers
Precautionary measures fire	Fight fire remotely due to the risk of explosion.
Firefighting instructions	DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.
Other information	EN 12942. EN 12941.
SECTION 6: Accidental release mea	Isures

6.1. Personal precautions, protective equip	ment and emergency procedures		
General measures	Evacuate area. Remove ignition sources.		
6.1.1. For non-emergency personnel			
Emergency procedures	Ventilate spillage area. Evacuate area. No open flames, no sparks, and no smoking.		
6.1.2. For emergency responders			
Protective equipment	Do not attempt to take action without suitable protective equipment. Breathing apparatus.		
6.2. Environmental precautions			
Avoid release to the environment. Prevent entry to s	ewers and public waters.		

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

Do not flush with water.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Do not spray on an open flame or other ignition source. Avoid contact with skin, eyes and clothing. Do not breathe vapours. Prevent the build-up of electrostatic charge.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed	Flammable gas. Do not pierce or burn, even after use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures	Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	Keep cool. Protect from sunlight. Keep in fireproof place. Store in dry protected location to prevent any moisture contact.
Incompatible materials	Heat sources. Direct sunlight. Sources of ignition.
Heat and ignition sources	Keep away from heat and direct sunlight. Keep away from ignition sources.
Information on mixed storage	Do not store with DX powder cartridges.
Storage temperature	5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

8.3. Individual protection measures, such as personal protective equipment (PPE) Hand protection In case of repeated or prolonged contact wear gloves



according to the United Nations GHS (Rev. 9, 2021)

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	3 (> 60 minutes)	0,12		EN ISO 374
ye protection	Ditection Chemical goggles or safety glasses. ISO 16321-1. EN 170				

D Ey Skin and body protection

т

Respiratory protection

Personal protective equipment symbol(s)



When using cartridge operated tools, sufficient ear protection must be worn. No respiratory protection needed under normal use conditions

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

	•
Physical state	Gas
Colour	Colourless.
Odour	Sweet.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not applicable
Boiling point	Not available
Flammability	Extremely flammable gas.
Lower explosion limit	1.7 vol %
Upper explosion limit	11.1 vol %
Flash point	Not applicable
Auto-ignition temperature	Not available
Decomposition temperature	Not available
рН	Not applicable
pH solution	Not applicable
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	8300 hPa
Vapour pressure at 50°C	Not available
Density	0.6 g/cm ³ (DIN 51757)
Relative density	Not applicable
Relative vapour density at 20°C	Not available
Solubility	insoluble in water.
Particle size	Not applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive properties Gas group

Product is not explosive. In use, may form flammable/explosive vapour-air mixture Gases under pressure : Compressed gas

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.



according to the United Nations GHS (Rev. 9, 2021)

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

11.1. Information on toxicological effects			
Acute toxicity (oral)	Not classified (Based on available data, the classification criteria are not met)		
Acute toxicity (dermal)	Not classified (Based on available data, the classification criteria are not met)		
Acute toxicity (inhalation)	Not classified (Based on available data, the classification criteria are not met)		
isobutane (75-28-5)			
LC50 Inhalation - Rat [ppm]	> 18000 ppm		
propene (115-07-1)			
LC50 Inhalation - Rat	> 688 mg/m³		
Propane (74-98-6)			
LC50 Inhalation - Rat [ppm]	> 280000 ppm (literature)		
Skin corrosion/irritation	Not classified (Based on available data, the classification criteria are not met)		
Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met)		
Respiratory or skin sensitisation	Not classified (Based on available data, the classification criteria are not met)		
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure	Not classified (Based on available data, the classification criteria are not met)		
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)		
Aspiration hazard	Not classified (Based on available data, the classification criteria are not met)		
GC 22			
Vaporizer	Container fitted with a sealed spray attachment		
Potential adverse human health effects and	No additional information available. No harmful effects are to be expected if used properly		
symptoms	The contained ingredients can be harmful, but they are hermetically enclosed in the article		
	and can not be released.		

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Due to the consistency along with the low water solubility of the product a bioavailability is unlikely. Not classified (Based on available data, the classification criteria are not met) Hazardous to the aquatic environment, short-term Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic)

(acute)



according to the United Nations GHS (Rev. 9, 2021)

isobutane (75-28-5)			
LC50 - Fish [1]	24.11 – 147.54 mg/l (Quantitative structure-activity relationship (QSAR))		
EC50 - Crustacea [1]	7.02 – 69.43 mg/l (Quantitative structure-activity relationship (QSAR))		
ErC50 algae	7.71 – 16.5 mg/l (Quantitative structure-activity relationship (QSAR))		
propene (115-07-1)			
LC50 - Fish [1]	43.3 mg/l (72 h; Oncorhynchus mykiss (Rainbow trout); Quantitative structure-activity relationship (QSAR))		
EC50 - Crustacea [1]	28.2 mg/I (48 h; daphnia; Quantitative structure-activity relationship (QSAR))		
EC50 96h - Algae [1]	12.1 mg/l (algae; Quantitative structure-activity relationship (QSAR))		
12.2. Persistence and degradability			
GC 22			
Persistence and degradability	No additional information available		
isobutane (75-28-5)			
Persistence and degradability	Readily biodegradable.		
propene (115-07-1)			
Persistence and degradability	Readily biodegradable in water.		
Propane (74-98-6)			
Persistence and degradability	Readily biodegradable in water.		
12.3. Bioaccumulative potential			
GC 22			
Bioaccumulative potential	No additional information available		
isobutane (75-28-5)			
Partition coefficient n-octanol/water (Log Kow)	1.09 – 2.8 (20 °C)		
Bioaccumulative potential	Bioaccumulation unlikely.		
propene (115-07-1)			
Partition coefficient n-octanol/water (Log Pow)	1.77 (20 °C)		
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).		
Propane (74-98-6)			
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).		
12.4. Mobility in soil			
GC 22			
Mobility in soil	No additional information available		
12.5. Other adverse effects			
Ozone	Not classified		
Other adverse effects	No additional information available		

Other adverse effects Other information

No additional information available Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Regional legislation (waste)	Disposal must be done according to official regulations.	
03/04/2023	IN - en	6/9



according to the United Nations GHS (Rev. 9, 2021)

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions. Product/Packaging disposal recommendations Container under pressure. Do not drill or burn even after use. Additional information Flammable vapours may accumulate in the container.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID number	-		
UN 3150	UN 3150	UN 3150	UN 3150
14.2. UN proper shipping name	e		
HYDROCARBON GAS REFILLS FOR SMALL DEVICES	HYDROCARBON GAS REFILLS FOR SMALL DEVICES	Hydrocarbon gas Refills for small devices	HYDROCARBON GAS REFILLS FOR SMALL DEVICES
Transport document description			
UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES, 2.1, (D)	UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES, 2.1	UN 3150 Hydrocarbon gas Refills for small devices, 2.1	UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES, 2.1
14.3. Transport hazard class(e	s)		
2.1	2.1	2.1	2.1
2		2	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information availa			

14.6. Special precautions for user

Overland transport	
Classification code (ADR)	6F
Limited quantities (ADR)	0
Excepted quantities (ADR)	E0
Packing instructions (ADR)	P209
Mixed packing provisions (ADR)	MP9
Transport category (ADR)	2
Special provisions for carriage - Loading, unloading	CV9
and handling (ADR)	
Special provisions for carriage - Operation (ADR)	S2
Tunnel restriction code (ADR)	D
Transport by sea	
Limited quantities (IMDG)	0
Excepted quantities (IMDG)	E0
Packing instructions (IMDG)	P003
EmS-No. (Fire)	F-D
EmS-No. (Spillage)	S-U
03/04/2023	IN - en



according to the United Nations GHS (Rev. 9, 2021)

Stowage category (IMDG)	В
Stowage and handling (IMDG)	SW2
MFAG-No	115
Air transport	
PCA Excepted quantities (IATA)	E0
PCA Limited quantities (IATA)	Forbidden
PCA limited quantity max net quantity (IATA)	Forbidden
PCA packing instructions (IATA)	201
PCA max net quantity (IATA)	1kg
CAO packing instructions (IATA)	201
CAO max net quantity (IATA)	15kg
Special provisions (IATA)	A802
ERG code (IATA)	10L
Rail transport	
Classification code (RID)	6F
Limited quantities (RID)	0
Excepted quantities (RID)	E0
Packing instructions (RID)	P209
Mixed packing provisions (RID)	MP9
Transport category (RID)	2
Special provisions for carriage - Loading, unloading	CW9
and handling (RID)	CE2
Colis express (express parcels) (RID) Hazard identification number (RID)	CE2 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information	
Issue date	03/04/2023

evision date 03/04/2023			
Section	Changed item	Change	Comments
	General		
1.2	Use of the substance/mixture	Added	

1.2	Use of the substance/mixture	Added	
1.3	Supplier information	Modified	
2	Classification (GHS UN)		
2.2	Precautionary statements (GHS UN)	Modified	
8		Modified	
9	Physical and chemical properties	Modified	
11	Toxicological information	Modified	
12.	Ecotoxicological information	Modified	



according to the United Nations GHS (Rev. 9, 2021)

Section	Changed item		Change	Comments
15	Legislation		Modified	
Abbreviations and	d acronyms	ADN - European Ag Inland Waterways ADR - European Ag Road ATE - Acute Toxicit CLP - Classification DNEL - Derived-No EC50 - Median effe ED - Endocrine dis EC-No European EN - European Sta IATA - Internationa IMDG - Internationa IMDG - Internationa IOELV - Indicative LC50 - Median leth NOEC - No-Observ OECD - Organisatii N.O.S Not Othen OEL - Occupationa PBT - Persistent Bi PNEC - Predicted I REACH - Registrat (EC) No 1907/2006 RID - Regulations of SDS - Safety Data STP - Sewage trea TLM - Median Tole TRGS - Technical I VOC - Volatile Orga WGK - Water Haza vPvB - Very Persisi NOAEL - No-Obsel NOAEC - No-Obsel LOAEL - Lowest O	greement concerning the ty Estimate a Labelling Packaging Re b Effect Level active concentration rupting properties a Community number ndard I Air Transport Associatio al Maritime Dangerous Ge Occupational Exposure L al concentration al dose ved Effect Concentration on for Economic Co-opera- wise Specified al Exposure Limit for Economic Co-opera- wise Specified and Concentration ion, Evaluation, Authorisa for Econcentration ion, Econcentration ion, Econcentration ion, Econcentration ion, Econc	International Carriage of Dangerous Goods by International Carriage of Dangerous Goods by gulation; Regulation (EC) No 1272/2008 n boods imit Value ation and Development ation and Development ation and Restriction of Chemicals Regulation hal Carriage of Dangerous Goods by Rail stances lative centration evel
Training advice		Department issuing	data specification sheet.	

Full text of H-statements:		
H220	Extremely flammable gas	
H280	Contains gas under pressure; may explode if heated	

SDS UN HILTI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.