

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PETAMO GHY 133 N (H)

Article-No. : 094148

Manufacturer or supplier's details

Company : Klüber Lubrication München
Geisenhausenerstr. 7
81379 München
Deutschland
Tel: +49 (0) 89 7876 0
Fax: +49 (0) 89 7876 333
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com
Material Compliance Management

National contact : Klüber Lubrication India Private Limited
347-A, Hebbal Industrial Area,
P.O. Metagalli
Mysore 570 016
India
Tel.: +91 821 6647 041
Fax: +91 821 2402 825
customercare@in.klueber.com

Emergency telephone number : +91 821 6647 041 (9:30 am - 6:00 pm, daily except sunday)
+49 89 7876 700 (24 hrs)

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

GHS Classification

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - : Category 2 (ovaries, Testes, Liver, Adrenal gland)

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

repeated exposure (Oral)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs (ovaries, Testes, Liver, Adrenal gland) through prolonged or repeated exposure if swallowed.
H402 Harmful to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.
Storage:
P405 Store locked up.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mineral oil.
Synthetic hydrocarbon oil
polyurea

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Residual oils (petroleum), hydrotreated	64742-57-0	>= 50 - < 70

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

polyurea	1266545-95-2	$\geq 2.5 - < 10$
Phenol, isopropylated, phosphate (3:1)	68937-41-7	$\geq 1 - < 2.5$
Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	Not Assigned	$\geq 0.1 - < 1$

4. FIRST AID MEASURES

- If inhaled : Obtain medical attention.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Obtain medical attention.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Allergic appearance
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

ucts : Nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus

Specific extinguishing methods : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Residual oils (petroleum), hydrotreated	64742-57-0	TWA (Mist)	5 mg/m ³	IN OEL
		STEL (Mist)	10 mg/m ³	IN OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : brown

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	Not applicable
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.900 (20 °C) Reference substance: Water The value is calculated
Density	:	0.90 g/cm ³ (20 °C)
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

Residual oils (petroleum), hydrotreated:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

polyurea:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

Assessment: The substance or mixture has no acute dermal toxicity

Phenol, isopropylated, phosphate (3:1):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg
GLP: no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Rabbit
Assessment : No skin irritation

Method : OECD Test Guideline 404
Result : No skin irritation

polyurea:

Species : Rabbit
Assessment : No skin irritation

Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Phenol, isopropylated, phosphate (3:1):

Species : Rabbit
Exposure time : 72 h
Assessment : No skin irritation

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

Result : No skin irritation
GLP : no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : reconstructed human epidermis (RhE)
Assessment : No skin irritation

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation

polyurea:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : yes

Phenol, isopropylated, phosphate (3:1):

Species : Rabbit
Assessment : No eye irritation
Result : No eye irritation
GLP : no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : Rabbit
Assessment : No eye irritation
Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.
Result : Does not cause respiratory sensitisation.

polyurea:

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

Phenol, isopropylated, phosphate (3:1):

Species : Mouse
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 429
Result : Did not cause sensitisation on laboratory animals.
GLP : yes

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Assessment : May cause sensitisation by skin contact.
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

polyurea:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster cells
Method: OECD Test Guideline 473
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

Carcinogenicity

Product:

Remarks : No data available

Components:

Residual oils (petroleum), hydrotreated:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Phenol, isopropylated, phosphate (3:1):

Reproductive toxicity - Assessment : - Fertility -
Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
- Teratogenicity -
Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Reproductive toxicity - Assessment : - Fertility -
Animal testing did not show any effects on fertility.

STOT - single exposure

Components:

polyurea:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

polyurea:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Phenol, isopropylated, phosphate (3:1):

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

Exposure routes : Ingestion
 Target Organs : ovaries, Testes, Liver, Adrenal gland
 Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

polyurea:

Species : Rat
 NOAEL : 1,000 mg/kg
 Application Route : Oral
 Method : OECD Test Guideline 407

Aspiration toxicity

Product:

This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

No aspiration toxicity classification

polyurea:

No aspiration toxicity classification

Phenol, isopropylated, phosphate (3:1):

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
 Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other :

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

aquatic invertebrates Remarks: No data available

Toxicity to algae :
Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: Immobilization

polyurea:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
GLP: yes

Phenol, isopropylated, phosphate (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Information given is based on tests on the mixture
itself.

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.44 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: semi-static test

PETAMO GHY 133 N (H)

Version 4.5	Revision Date: 08.09.2021	Date of last issue: 17.11.2020 Date of first issue: 02.09.2016	Print Date: 08.09.2021
----------------	------------------------------	---	---------------------------

Remarks: Information given is based on tests on the mixture itself.

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.5 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
Remarks: Information given is based on tests on the mixture itself.

Toxicity to fish (Chronic toxicity) : NOEC: 0.0031 mg/l
Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0415 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Biodegradability : Result: Not rapidly biodegradable

polyurea:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 23.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

Phenol, isopropylated, phosphate (3:1):

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: 17.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

GLP: yes

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Biodegradability : Result: Not rapidly biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

polyurea:

Partition coefficient: n- : log Pow: > 6 (20 °C)
octanol/water Method: OECD Test Guideline 117

Phenol, isopropylated, phosphate (3:1):

Partition coefficient: n- : log Pow: 4.92 - 5.17 (25 °C)
octanol/water

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Bioaccumulation : Bioconcentration factor (BCF): < 100

Partition coefficient: n- : log Pow: 9.01
octanol/water

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ- : Remarks: No data available
mental compartments

Other adverse effects

Product:

Additional ecological infor- : Toxic to aquatic life with long lasting effects.
mation

Components:

Phenol, isopropylated, phosphate (3:1):

Results of PBT and vPvB : Non-classified PBT substance
assessment Non-classified vPvB substance

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 3077
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Triaryl Phosphate Isopropylated, triphenyl phosphate)
- Class : 9
- Packing group : III
- Labels : 9

IATA-DGR

- UN/ID No. : UN 3077
- Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Triaryl Phosphate Isopropylated, triphenyl phosphate)
- Class : 9
- Packing group : III
- Labels : Miscellaneous
- Packing instruction (cargo aircraft) : 956
- Packing instruction (passenger aircraft) : 956
- Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3077
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Triaryl Phosphate Isopropylated, triphenyl phosphate)
- Class : 9
- Packing group : III
- Labels : 9
- EmS Code : F-A, S-F
- Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture****16. OTHER INFORMATION**

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)
IN OEL / STEL : Short-term exposure Limit STEL (15 min)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,

PETAMO GHY 133 N (H)

Version	Revision Date:	Date of last issue: 17.11.2020	Print Date:
4.5	08.09.2021	Date of first issue: 02.09.2016	08.09.2021

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.